



## TECHNICAL SPECIFICATIONS

### GRIEGSALEN

---

## Lighting Equipment

### Griegsalen - pr 01.01.2008

#### **Tecnicl Eqipment**

*Control: (Others on demand)*

- (1) Grandma Light Control Desk, with 10 playbacks"fadere". 216 analoge dimmer channels.

All Dimmer channels are made by Alex Grossman in Danmark:

(72) x 3,5 kW Channels - (138) x 5,5 kW Channels - (6) x 10,0 kW Channels

There are 88 dimmer outlets in the theatre, and 128 dimmer outlets in stage area.

All dimmer outlets are CEE-standard, type CUI 216-6.

#### **Profiles**

(20) Niethammer, 2 kW 12°, FrontBrigde

(10) Niethammer Enizoom, 1 kW 15-38°

(4) Selecon, 1,2 kW 15-30°

#### **Fresnells**

(6) Ianiro M280/283, 5 kW 12,5-59° (2 stk PoleOperat)

(16) Ianiro M270/273, 2 kW 10-53° (12 stk PoleOperat)



## **TECHNICAL SPECIFICATIONS**

### **GRIEGSALEN**

---

#### *Cyce*

- (12) Ianiro Pallas 4 Floor CYC, 4 x 750W
- (8) Ianiro Iris 4 CYC in upstage bar , 4 x 1200W

#### *Parcannes*

- (44) PAR-64 Thomas, 1 kW with CP61/CP62

#### *Scrollers*








- (10) Whisper with 20 colors, PAR-64
- (6) Chroma Q with 16 colors, 5 kw Ianiro Fresnel.

#### *Extra on demand:*

- (1) Cirro cracer oil maskin
- (2) Follow Spots
- (1) DryICE maskin

#### *Movinglights:*

- (4) Martin Mac / Options on demand : (16) Martin MAC

-  Niethammer 212
-  Niethammer Enizoom 115
-  Selecon 1200 Condenser Pr.
-  StrandCastor 2 kW
-  StrandPollux 5kW m/scroller
-  Par 64 m/scroller
-  Par 64

